Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	18	"5808277"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/13 09:49
L6	1039	"5808277" and flow inpedance	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:49
L7		"5808277" and flow adj inpedance	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/13 09:49
L9	0	"700"/\$.ccls. and ((flow adj inpedance) with (monitor or sensor))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/13 09:51
L11	1	"700"/\$.ccls. and ((flow adj impedance) with (monitor or sensor))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:52
L12	1	"700"/\$.ccls. and ((flow adj impedance) same (monitor or sensor))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:53
L13	4	"700"/\$.ccls. and ((flow adj impedance))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/04/13 10:13

L14	182	((flow adj impedance) ) with (sensor or measur\$4 or monitor)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:13
L15	10	((flow adj impedance)) with (sensor or measur\$4 or monitor) same water	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:14
L16	68	((flow adj impedance) ) near3 (sensor or measur\$4 or monitor)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:28
L18	2365	((flow near2 (resistance or impedance)) ) near3 (sensor or measur\$4 or monitor)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON 	2007/04/13 10:28
L19	5	((flow near2 (resistance or impedance)) ) near3 (sensor or measur\$4 or monitor) and "700"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:57
L20	582	remote\$3 and ((shut near2 off) or shut-off) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:31
L21	23	remote\$3 with ((shut near2 off) or shut-off) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:31

			<del></del>	Г		·
L22	8	"6,568,416"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:58
L23	3	"6,568,416" and (pressure near2 differen\$5)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:59
L24	1188	flow and (pressure near2 differen\$5) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:00
L25	317	flow and ((sensor or monitor\$4 or measur\$4) near3 (pressure near2 differen\$5)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:14
L26	0	eletrical and user near charge and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:15
L27	0	eletrical and (user near3 charge) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:15
L28	65	electrical and (user near3 charge) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:28

L29	10	electrical and (index with charge) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:29
L30	161	( charge) and "700"/286.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 11:30
S1	6	"6786930"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:18
52	2	"20040167637"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/10 09:30
S3	2	"20040159536"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 11:17
S4	64.	(monitor\$5 near2 system) and (water near purifier)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 11:23
S5	45	("700"/\$.ccls.) and (water near3 purif\$4)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:34

S6	2	"20060235555"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:02
S7	2	"20050071135"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:59
S8	2	"20060235555"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:36
S9	2	"20020024332"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/04/10 14:37
S10	81	("700"/\$.ccls.) and (water near3 purif\$7)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	·OR	ON	2007/04/10 16:13
S11	36	S10 not S5	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:19
.S12	11	"6536207"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:21

4/13/2007 12:22:59 PM C:\Documents and Settings\nlaughlin\My Documents\EAST\Workspaces\10566307.wsp

Page 5

S13	14	"4776171"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:26
S14	2	"20040267401"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:37
S15	0	"20050071135" and (model with input)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:59
S16	2	"20050071135" and (model )	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:59
S17	337	("700"/\$.ccls.) and (water near3 (filter\$4 or clean\$3 purif\$7))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:14
S18	150	("700"/\$.ccls.) and (water near3 (filter\$4 or clean\$3 purif\$7)) and (flowrate or (flow adj rate))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:17
S19	43	("700"/\$.ccls.) and (water near3 (filter\$4 or clean\$3 purif\$7)) and (flowrate or (flow adj rate)) and (water with quality)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/11 14:08

S20		("700"/\$.ccls.) and (water near3 (filter\$4 or clean\$3 purif\$7)) and ( flowrate or (flow adj rate)) and ((water with quality) with sensor)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:23
S21	32	("700"/\$.ccls.) and (water near3 (filter\$4 or clean\$3 purif\$7)) and ( flowrate or (flow adj rate)) and (water near3 quality)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 15:58
S22	1	(water near3 (filter\$4 or clean\$3 purif\$7)) and (flowrate or (flow adj rate)) and ((water with quality) with sensor) and (flow adj impedance) and (heat adj transfer)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:33
S23	11	"6536207"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/11 14:27
S24		(water near3 (filter\$4 or clean\$3 purif\$7)) and (flowrate or (flow adj rate)) and ((water with quality) with sensor) and (flow adj impedance)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:33
S25	226	(water near3 (filter\$4 or clean\$3 purif\$7)) and (flowrate or (flow adj rate)) and ((water with quality) with sensor)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:34
S26	69	(water near3 (filter\$4 or clean\$3 purif\$7)) and (flowrate or (flow adj rate)) and ((water with quality) with sensor) and ((shut near2 off) or shut-off)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/11 17:20

[C37]	34	"6222110"	LIC DCDUD	OB	ON	2007/04/11 14:27
S27	31	"6332110"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	OIV	2007/04/11 14:37
S28	13	"6560543"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:37
S29	2	"20020024332"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/11 15:59
S30	74	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and ( flowrate or (flow adj rate)) and ((water with quality) with sensor) and ((shut near2 off) or shut-off)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:50
S31	47551	"700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:50
S32		"700"/\$.ccls. and (flow adj impedance)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:02
S33	5839	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and (GPS or (global adj positioning))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/11 18:14

S34	18	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and (GPS or (global adj positioning)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON.	2007/04/11 18:46
S35	35185	((monitoring) and (GPS or (global adj positioning))) and "700"/\$.ccls. (GPS same (input or output sensor))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:28
S36	188	((monitoring) and (GPS or (global adj positioning))) and "700"/\$.ccis. and (GPS same (input or output sensor))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:28
S37	188	((monitoring) and (GPS or (global adj positioning))) and "700"/\$.ccls. and (GPS same (input or output sensor))	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:28
S38	160	(electric\$4 and generator) and (GPS or (global adj positioning)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/11 17:32
S39		(electric\$4 near2 generator) and (GPS or (global adj positioning)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/11 18:13
540	14	"6408227"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:13

		· · · · · · · · · · · · · · · · · · ·	т	T		
S41	10619	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and (shut adj off)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:14
S42	63	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and (shut adj off) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:16
S43	0	(water adj quality) same (shut adj off) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:17
S44	74	(water adj quality) same (shut adj off)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:28
S45	2	(water adj quality) same (flow adj impedance)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:28
S46	20	"5609576"	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:43
S47	4	(flow adj impedance) and "700"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:43

S48		"700"/\$.ccls. and monitor\$5 same (flow adj impedance)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:44
S49	. 86	monitor\$5 same (flow adj impedance)	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:45
S50	41	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and (heat adj transfer) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:48
S51	5	(water near3 (filter\$4 or clean\$3 purif\$7 treatment)) and ((heat adj transfer) with (sensor or monitor\$4)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:50
S52		(Monitoring adj system) and ((heat adj transfer) with (sensor or monitor\$4)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 18:51
S53	3	(Monitoring adj system) and ((remote ) with ((shut adj off) or shut-off)) and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/13 09:44

Page 11 4/13/2007 12:22:59 PM C:\Documents and Settings\nlaughlin\My Documents\EAST\Workspaces\10566307.wsp